



The background of the image is a photograph of a grassy field, possibly a golf course, with a line of trees in the distance. The entire image has a blue color overlay. The text 'FLOATING PUMP' is centered in the upper half of the image.

FLOATING PUMP





PORTABLE HIGH-PREASURE FIRE FLOATING PUMP



KAIGUN Pro adalah produk lokal pompa apung ATSAKA dengan di perkuat dengan engine dari Honda GXV160 bertenaga 4,3 HP yang dimodifikasi dengan penambaham kapasitas bahan bakar yang mampu memperpanjang waktu operasional. Pompa ini mampu mengeluarkan air bertekanan tinggi hingga 2 Bar yang mampu menjangkau hingga 32 meter.

FITUR & KEUNGGULAN

- ✓ Produk lokal berkualitas
- ✓ Original Muffler dari Honda
- ✓ Ringan dikelasnya dengan desain yang anggun dan proporsional
- ✓ Safety produk, dalam kelistrikan dan tanki bahan bakar
- ✓ Memiliki tanki bensin tambahan untuk memperpanjang waktu operasional
- ✓ RPM konsisten pada kapasitas engine sehingga mampu memperpanjang umur engine dan beroperasi dalam waktu yang lama saat melakukan pemadaman
- ✓ Garansi engine 1 tahun dan Garansi pump 2 tahun dengan Jaminan ketersediaan sparepart

APLIKASI

- ✓ Pemadaman kebakaran hutan secara langsung
- ✓ Pemompaan untuk pengisian tanki air



SPESIFIKASI

Engine	Model	Honda GXV160
	Engine Type	Aircooled 4stroke OHV
	Bore x Stroke	68 X 45 mm
	Displacement	163 cm3
	Net Power Output*	4.3 hp (3.2 kW) @ 3,600 rpm
	Normal Operating Engine Speed	2970 rpm
	PTO Shaft Rotation	Counterclockwise (from PTO shaft side)
	Compression Ratio	8.0
	Carburetor	Float Type
	Ignition System	Transistorized magneto
	Starting System	Recoil
	Lubrication System	Splash
	Governor System	Centrifugal Mechanical
	Air Cleaner	Dual element
	Oil Capacity	0.65 liters
	Fuel Tank Capacity	2 liter + 3.1 liter
	Fuel	Unleaded 86 octane or higher
Suction	Type	Direct drive Single Stage Sentrifugal
	Body & diffusers	Anodized resistant aluminium
	Impeller	Anodized resistant aluminium
	Delivery outlet	1,5" (38 mm) atau 2,5" (65 mm) depend on customer request
	Suction inlet	2,5" (67,5 mm)
Pump Performance	Maximum pressure	30 Psi (2.0 Bar) @ 314 LPM
	Straight Stream Reach	Outlet 2.5" = 30 meter (Jet Nozzle). Outlet 2.5" = 25 meter (Gun Nozzle)
Weight	Estimasi total weight	32,6 kg
Dimensions	Length x Width x Height	950 x 710 x 480 mm